arXiv:1703.06488v1 [math.NT] 19 Mar 2017

Eulerian Composition of Certain Franklin Squares

Ronald P. Nordgren[1]
Brown School of Engineering, Rice University

Abstract. Several specific Franklin squares and magic squares are decomposed into their quotient and remainder squares. The results support the conjecture that Franklin used the Eulerian composition method to construct many of his squares. This method also can be used to construct new Franklin squares as illustrated herein.

Introduction

Franklin squares were created by Benjamin Franklin and two of them were first published in 1769 according to Pasles [10, p. 127]. They differ from ordinary magic squares by the imposition of bent-diagonal sum conditions instead of the two diagonal sum conditions. Franklin squares have received considerable attention over the years as reviewed by Pasles [10]. A general treatment of magic squares and circles is given by Pickover [12].

Unfortunately, Franklin did not reveal his construction methods and there is controversy on this question. His order-8 and order-16 squares of 1769, as given in [10], can be constructed by a direct method due to Jacobs [4] which he applies to construct an order-24 Franklin square. This construction involves sequential placement of integer elements in five prescribed steps. Jacobs' construction also yields the order-32 Franklin square of Behrforooz [1]. However, a proof of the validity of Jacobs' construction for order-$8k$ Franklin squares is lacking.

Franklin squares also can be constructed by the addition of two orthogonal auxiliary squares according to a composition formula first published by Euler [2] in 1776. According to Pasles [10], the composition construction was used by Youle in 1813 to construct Franklin's original two squares and perhaps by Franklin himself (before Euler). However, it is not clear how Franklin formed his two auxiliary squares, if indeed he used this method.

Nordgren [6] gives a systematic construction for Franklin squares of order $8k$. He obtains two types of formulas for the elements of the two auxiliary squares that allow straightforward numerical formation of order-$8k$ Franklin squares. These formulas are used to verify that the auxiliary squares are suitable for construction of Franklin squares. Since this construction leads to Franklin's original 1769 squares for $k = 1, 2$, it may be regarded as an extension of his methodology and may have been used by him. This speculation is supported by an examination of the Eulerian composition of three order-8 Franklin squares by Pasles [10] and three order-16 Franklin squares in what follows. The auxiliary squares for these Franklin squares follow regular patterns. The Eulerian composition of some of these squares and others is given by Morris [5] who also contends that Franklin used this method. It is difficult to see how many of these Franklin squares could be constructed by direct methods.

The formulas given in [6] also generate the order-24 Franklin square of Jacobs [4] (Figures 1,2,3) and the order-32 Franklin square of Behrforooz [1]. A new order-40 Franklin square, constructed by Nordgren's method, is shown in Figure 4. It also can be constructed by Jacob's method. These constructions lend support to Jacobs' construction but a direct connection between the two methods is lacking.

Numerical generation of all natural order-8 Franklin squares is carried out by Schindel, et.al. [13]. The basic 4320 of these squares were made available to the author and one of them is decomposed into auxiliary squares in what follows.

Definitions

For completeness, we review the definitions of magic and Franklin squares. All rows and columns of a *semi-magic* square matrix must sum to an *index number* m. If its main diagonal and the cross

[1]email: nordgren@rice.edu Address: 3989 Pebble Beach Dr, Longmont, CO 80503-8358

diagonal also sum to m, then the square is *magic*. *Natural* $n \times n$ (*order-n*) magic and semi-magic squares have elements $1, 2, \ldots, n^2$ for which

$$m = \frac{n}{2}\left(n^2 + 1\right) . \tag{1}$$

Instead of the two diagonal sum conditions, Franklin defined four families of *bent diagonals* which must sum to m. In the following families of order-6 squares, elements on the six bent diagonals (with wraparound) have the same symbol:



. (2)

Also, Franklin required that the elements on all left and right half-rows and all upper and lower half-columns of his squares must sum to $m/2$ which makes his squares semi-magic. This requirement forces natural Franklin squares to be of doubly-even order $(n = 4k)$. In addition, he required that elements in all 2×2 subsquares (including broken ones) of his order-n square sum to $4m/n$. Matrix formulas for the three Franklin square conditions are given by Nordgren [7]. Hurkens [3] shows by exhaustive search that no natural order-12 Franklin squares exist. Also, Pasles [11] shows that there are no natural order-4 Franklin squares.

In a *pandiagonal square*, the elements on all diagonals in both directions (including broken ones) sum to m. Some Franklin squares also are pandiagonal, including one-third of the order-8 natural ones [13]. Nordgren [6] shows that a Franklin square of order $8k$ can be transformed to a pandiagonal magic square in two ways but the converse is not true in general. Also, Nordgren [7] shows that an order-$8k$ pandiagonal Franklin magic square can be obtained from transformation of a complete (or most-perfect) magic square which are studied and enumerated by Ollerenshaw and Brée [9].

For a square matrix M_n of order-n, Euler's composition formula [2] can be written as

$$M_n = nQ_n + R_n + U_n \, , \tag{3}$$

where Q_n and R_n are order-n orthogonal matrices and U_n is the *unity matrix* with all elements 1. *Orthogonal matrices* are defined as having each ordered pair of elements in the same position in the two matrices occurring once and only once. A natural Franklin matrix can be constructed by requiring that the *quotient matrix* Q_n and the *remainder matrix* R_n have elements $0, 1, \ldots, n-1$ repeated n times. If such Q_n and R_n are orthogonal and satisfy the three Franklin sum conditions with m replaced by $\hat{m} = n\left(n-1\right)/2$, then M_n from (3) is a Franklin matrix.

Given M_n, then R_n and Q_n are obtained from

$$R_n = \left(M_n - U_n\right) \mod n, \quad Q_n = \frac{1}{n}\left(M_n - U_n - R_n\right) \tag{4}$$

which are used in what follows.

Order-6 Squares

Pasles [10, p. 196] gives the following square published by Franklin in 1769:

$$M_6 = \begin{bmatrix} 2 & 9 & 4 & 29 & 36 & 31 \\ 34 & 32 & 30 & 7 & 5 & 3 \\ 6 & 1 & 8 & 33 & 28 & 35 \\ 20 & 27 & 22 & 11 & 18 & 13 \\ 25 & 23 & 21 & 16 & 14 & 12 \\ 24 & 19 & 26 & 15 & 10 & 17 \end{bmatrix} . \tag{5}$$

It is natural, semi-magic, and its four main bent-diagonals (starting at the corners) sum to $m = 111$ as do the four bent diagonals that bend at the middle of the four sides. In addition, other sets of squares add to m [10, p. 197]. However, it does not satisfy all the Franklin square sum conditions. Its auxiliary matrices from (4) are

$$Q_6 = \begin{bmatrix} 0 & 1 & 0 & 4 & 5 & 5 \\ 5 & 5 & 4 & 1 & 0 & 0 \\ 0 & 0 & 1 & 5 & 4 & 5 \\ 3 & 4 & 3 & 1 & 2 & 2 \\ 4 & 3 & 3 & 2 & 2 & 1 \\ 3 & 3 & 4 & 2 & 1 & 2 \end{bmatrix}, \quad R_6 = \begin{bmatrix} 1 & 2 & 3 & 4 & 5 & 0 \\ 3 & 1 & 5 & 0 & 4 & 2 \\ 5 & 0 & 1 & 2 & 3 & 4 \\ 1 & 2 & 3 & 4 & 5 & 0 \\ 0 & 4 & 2 & 3 & 1 & 5 \\ 5 & 0 & 1 & 2 & 3 & 4 \end{bmatrix}. \tag{6}$$

These auxiliary matrices are not semi-magic since their second and fifth columns do not sum to $\hat{m} = 15$ as do all other columns and all rows. This counterexample indicates that semi-magic conditions on Q_n and R_n are not necessary conditions for a square to be semi-magic. Also, some of the bent diagonals of Q_n and R_n mentioned above do not sum to $\hat{m} = 15$. However, a counterexample of a full Franklin square has not been found and it is an open question whether Franklin conditions on Q_n and R_n are necessary for M_n from (3) to be a Franklin square.

Here is the order-6 natural magic square given by Euler [2]:

$$M_6 = \begin{bmatrix} 3 & 36 & 30 & 4 & 11 & 27 \\ 22 & 13 & 35 & 12 & 14 & 15 \\ 16 & 18 & 8 & 31 & 17 & 21 \\ 28 & 20 & 6 & 29 & 19 & 9 \\ 32 & 23 & 25 & 2 & 24 & 5 \\ 10 & 1 & 7 & 33 & 26 & 34 \end{bmatrix}, \tag{7}$$

with auxiliary matrices from (4):

$$Q_6 = \begin{bmatrix} 0 & 5 & 4 & 0 & 1 & 4 \\ 3 & 2 & 5 & 1 & 2 & 2 \\ 2 & 2 & 1 & 5 & 2 & 3 \\ 4 & 3 & 0 & 4 & 3 & 1 \\ 5 & 3 & 4 & 0 & 3 & 0 \\ 1 & 0 & 1 & 5 & 4 & 5 \end{bmatrix}, \quad R_6 = \begin{bmatrix} 2 & 5 & 5 & 3 & 4 & 2 \\ 3 & 0 & 4 & 5 & 1 & 2 \\ 3 & 5 & 1 & 0 & 4 & 2 \\ 3 & 1 & 5 & 4 & 0 & 2 \\ 1 & 4 & 0 & 1 & 5 & 4 \\ 3 & 0 & 0 & 2 & 1 & 3 \end{bmatrix}. \tag{8}$$

This time Q_6 and R_6 are magic with $\hat{m} = 15$.

Here is the order-6 natural magic square from the Historical Museum in Xian, China (photograph in [8]):

$$M_6 = \begin{bmatrix} 28 & 4 & 3 & 31 & 35 & 10 \\ 36 & 18 & 21 & 24 & 11 & 1 \\ 7 & 23 & 12 & 17 & 22 & 30 \\ 8 & 13 & 26 & 19 & 16 & 29 \\ 5 & 20 & 15 & 14 & 25 & 32 \\ 27 & 33 & 34 & 6 & 2 & 9 \end{bmatrix}, \tag{9}$$

with auxiliary matrices from (4):

$$Q_6 = \begin{bmatrix} 4 & 0 & 0 & 5 & 5 & 1 \\ 5 & 2 & 3 & 3 & 1 & 0 \\ 1 & 3 & 1 & 2 & 3 & 4 \\ 1 & 2 & 4 & 3 & 2 & 4 \\ 0 & 3 & 2 & 2 & 4 & 5 \\ 4 & 5 & 5 & 0 & 0 & 1 \end{bmatrix}, \quad R_6 = \begin{bmatrix} 3 & 3 & 2 & 0 & 4 & 3 \\ 5 & 5 & 2 & 5 & 4 & 0 \\ 0 & 4 & 5 & 4 & 3 & 5 \\ 1 & 0 & 1 & 0 & 3 & 4 \\ 4 & 1 & 2 & 1 & 0 & 1 \\ 2 & 2 & 3 & 5 & 1 & 2 \end{bmatrix}. \tag{10}$$

Again Q_6 and R_6 are magic with $\hat{m} = 15$.

The method of constructing the above three M_6 squares is not apparent and it does not appear to make use of auxiliary squares.

Order-8 Squares

We consider the Eulerian composition of three Franklin squares given by Pasles [10, pp. 236-237]. Several of these squares also have been decomposed by Morris [5]. Here is Franklin's original order-8 square published in 1769 [10, p. 127]:

$$F_8 = \begin{bmatrix} 52 & 61 & 4 & 13 & 20 & 29 & 36 & 45 \\ 14 & 3 & 62 & 51 & 46 & 35 & 30 & 19 \\ 53 & 60 & 5 & 12 & 21 & 28 & 37 & 44 \\ 11 & 6 & 59 & 54 & 43 & 38 & 27 & 22 \\ 55 & 58 & 7 & 10 & 23 & 26 & 39 & 42 \\ 9 & 8 & 57 & 56 & 41 & 40 & 25 & 24 \\ 50 & 63 & 2 & 15 & 18 & 31 & 34 & 47 \\ 16 & 1 & 64 & 49 & 48 & 33 & 32 & 17 \end{bmatrix}, \tag{11}$$

with auxiliary matrices from (4) and Pasles [10, p. 236]:

$$Q_8 = \begin{bmatrix} \mathbf{6} & \mathbf{7} & \mathbf{0} & \mathbf{1} & \mathbf{2} & \mathbf{3} & \mathbf{4} & \mathbf{5} \\ 1 & 0 & 7 & 6 & 5 & 4 & 3 & 2 \\ 6 & 7 & 0 & 1 & 2 & 3 & 4 & 5 \\ 1 & 0 & 7 & 6 & 5 & 4 & 3 & 2 \\ 6 & 7 & 0 & 1 & 2 & 3 & 4 & 5 \\ 1 & 0 & 7 & 6 & 5 & 4 & 3 & 2 \\ 6 & 7 & 0 & 1 & 2 & 3 & 4 & 5 \\ 1 & 0 & 7 & 6 & 5 & 4 & 3 & 2 \end{bmatrix}, \quad R_8 = \begin{bmatrix} \mathbf{3} & 4 & 3 & 4 & 3 & 4 & 3 & 4 \\ 5 & \mathbf{2} & 5 & 2 & 5 & 2 & 5 & 2 \\ 4 & 3 & \mathbf{4} & 3 & 4 & 3 & 4 & 3 \\ 2 & 5 & 2 & \mathbf{5} & 2 & 5 & 2 & 5 \\ 6 & 1 & 6 & 1 & \mathbf{6} & 1 & 6 & 1 \\ 0 & 7 & 0 & 7 & 0 & \mathbf{7} & 0 & 7 \\ 1 & 6 & 1 & 6 & 1 & 6 & \mathbf{1} & 6 \\ 7 & 0 & 7 & 0 & 7 & 0 & 7 & \mathbf{0} \end{bmatrix}. \tag{12}$$

These auxiliary matrices satisfy Franklin's three sum conditions with $\tilde{m} = 28$. They follow from formulas given by Nordgren [6] based on the form of the first row of Q_8 and the main diagonal of R_8. Also, this F_8 can be constructed by the direct method of Jacobs [4].

Here is Franklin's order-8 pandiagonal Franklin magic square given by Pasles [10, p. 207]:

$$F_8 = \begin{bmatrix} 2 & 57 & 6 & 61 & 8 & 63 & 4 & 59 \\ 7 & 64 & 3 & 60 & 1 & 58 & 5 & 62 \\ 49 & 10 & 53 & 14 & 55 & 16 & 51 & 12 \\ 56 & 15 & 52 & 11 & 50 & 9 & 54 & 13 \\ 42 & 17 & 46 & 21 & 48 & 23 & 44 & 19 \\ 47 & 24 & 43 & 20 & 41 & 18 & 45 & 22 \\ 25 & 34 & 29 & 38 & 31 & 40 & 27 & 36 \\ 32 & 39 & 28 & 35 & 26 & 33 & 30 & 37 \end{bmatrix}, \tag{13}$$

with auxiliary matrices from (4) and Pasles [10, p. 237]:

$$Q_8 = \begin{bmatrix} 0 & 7 & 0 & 7 & 0 & 7 & 0 & 7 \\ 0 & 7 & 0 & 7 & 0 & 7 & 0 & 7 \\ 6 & 1 & 6 & 1 & 6 & 1 & 6 & 1 \\ 6 & 1 & 6 & 1 & 6 & 1 & 6 & 1 \\ 5 & 2 & 5 & 2 & 5 & 2 & 5 & 2 \\ 5 & 2 & 5 & 2 & 5 & 2 & 5 & 2 \\ 3 & 4 & 3 & 4 & 3 & 4 & 3 & 4 \\ 3 & 4 & 3 & 4 & 3 & 4 & 3 & 4 \end{bmatrix}, \quad R_8 = \begin{bmatrix} 1 & 0 & 5 & 4 & 7 & 6 & 3 & 2 \\ 6 & 7 & 2 & 3 & 0 & 1 & 4 & 5 \\ 0 & 1 & 4 & 5 & 6 & 7 & 2 & 3 \\ 7 & 6 & 3 & 2 & 1 & 0 & 5 & 4 \\ 1 & 0 & 5 & 4 & 7 & 6 & 3 & 2 \\ 6 & 7 & 2 & 3 & 0 & 1 & 4 & 5 \\ 0 & 1 & 4 & 5 & 6 & 7 & 2 & 3 \\ 7 & 6 & 3 & 2 & 1 & 0 & 5 & 4 \end{bmatrix}. \tag{14}$$

These auxiliary matrices also satisfy Franklin's three sum conditions with $\tilde{m} = 28$ and they are pandiagonal.

Here is another of Franklin's order-8 Franklin square given by Pasles [10, p. 169]:

$$F_8 = \begin{bmatrix} 17 & 47 & 30 & 36 & 21 & 43 & 26 & 40 \\ 32 & 34 & 19 & 45 & 28 & 38 & 23 & 41 \\ 33 & 31 & 46 & 20 & 37 & 27 & 42 & 24 \\ 48 & 18 & 35 & 29 & 44 & 22 & 39 & 25 \\ 49 & 15 & 62 & 4 & 53 & 11 & 58 & 8 \\ 64 & 2 & 51 & 13 & 60 & 6 & 55 & 9 \\ 1 & 63 & 14 & 52 & 5 & 59 & 10 & 56 \\ 16 & 50 & 3 & 61 & 12 & 54 & 7 & 57 \end{bmatrix}, \tag{15}$$

with auxiliary matrices from (4) and Pasles [10, p. 237]:

$$Q_8 = \begin{bmatrix} 2 & 5 & 3 & 4 & 2 & 5 & 3 & 4 \\ 3 & 4 & 2 & 5 & 3 & 4 & 2 & 5 \\ 4 & 3 & 5 & 2 & 4 & 3 & 5 & 2 \\ 5 & 2 & 4 & 3 & 5 & 2 & 4 & 3 \\ 6 & 1 & 7 & 0 & 6 & 1 & 7 & 0 \\ 7 & 0 & 6 & 1 & 7 & 0 & 6 & 1 \\ 0 & 7 & 1 & 6 & 0 & 7 & 1 & 6 \\ 1 & 6 & 0 & 7 & 1 & 6 & 0 & 7 \end{bmatrix}, \quad R_8 = \begin{bmatrix} 0 & 6 & 5 & 3 & 4 & 2 & 1 & 7 \\ 7 & 1 & 2 & 4 & 3 & 5 & 6 & 0 \\ 0 & 6 & 5 & 3 & 4 & 2 & 1 & 7 \\ 7 & 1 & 2 & 4 & 3 & 5 & 6 & 0 \\ 0 & 6 & 5 & 3 & 4 & 2 & 1 & 7 \\ 7 & 1 & 2 & 4 & 3 & 5 & 6 & 0 \\ 0 & 6 & 5 & 3 & 4 & 2 & 1 & 7 \\ 7 & 1 & 2 & 4 & 3 & 5 & 6 & 0 \end{bmatrix}. \tag{16}$$

These auxiliary matrices also satisfy Franklin's three sum conditions with $\tilde{m} = 28$. This Q_8 is pandiagonal but R_8 is not and so F_8 of (15) is not pandiagonal.

The elements of all of the above auxiliary matrices follow a distinctive pattern which may be how Franklin constructed them. A direct construction of the two Franklin matrices (13,15) appears to be rather difficult. The reader is invited to try!

The following order-8 pandiagonal Franklin magic square is given by Schindel, et.al. [13, Supplement #2574]:

$$F_8 = \begin{bmatrix} 6 & 55 & 12 & 57 & 2 & 51 & 16 & 61 \\ 11 & 58 & 5 & 56 & 15 & 62 & 1 & 52 \\ 53 & 8 & 59 & 10 & 49 & 4 & 63 & 14 \\ 60 & 9 & 54 & 7 & 64 & 13 & 50 & 3 \\ 21 & 40 & 27 & 42 & 17 & 36 & 31 & 46 \\ 28 & 41 & 22 & 39 & 32 & 45 & 18 & 35 \\ 38 & 23 & 44 & 25 & 34 & 19 & 48 & 29 \\ 43 & 26 & 37 & 24 & 47 & 30 & 33 & 20 \end{bmatrix}, \tag{17}$$

with auxiliary matrices from (4):

$$Q_8 = \begin{bmatrix} 0 & 6 & 1 & 7 & 0 & 6 & 1 & 7 \\ 1 & 7 & 0 & 6 & 1 & 7 & 0 & 6 \\ 6 & 0 & 7 & 1 & 6 & 0 & 7 & 1 \\ 7 & 1 & 6 & 0 & 7 & 1 & 6 & 0 \\ 2 & 4 & 3 & 5 & 2 & 4 & 3 & 5 \\ 3 & 5 & 2 & 4 & 3 & 5 & 2 & 4 \\ 4 & 2 & 5 & 3 & 4 & 2 & 5 & 3 \\ 5 & 3 & 4 & 2 & 5 & 3 & 4 & 2 \end{bmatrix}, \quad R_8 = \begin{bmatrix} 5 & 6 & 3 & 0 & 1 & 2 & 7 & 4 \\ 2 & 1 & 4 & 7 & 6 & 5 & 0 & 3 \\ 4 & 7 & 2 & 1 & 0 & 3 & 6 & 5 \\ 3 & 0 & 5 & 6 & 7 & 4 & 1 & 2 \\ 4 & 7 & 2 & 1 & 0 & 3 & 6 & 5 \\ 3 & 0 & 5 & 6 & 7 & 4 & 1 & 2 \\ 5 & 6 & 3 & 0 & 1 & 2 & 7 & 4 \\ 2 & 1 & 4 & 7 & 6 & 5 & 0 & 3 \end{bmatrix}. \tag{18}$$

These auxiliary matrices also satisfy Franklin's three sum conditions with $\tilde{m} = 28$ and they are pandiagonal. Although there is a pattern to their elements, it is not clear how they could be systematically constructed. Auxiliary matrices of other Franklin matrices from [13] show similar patterns.

Order-16 Squares

Here is Franklin's original order-16 square published in1769 according to Pasles [10, p. 135]:

$$F_{16} = \begin{bmatrix} 200 & 217 & 232 & 249 & 8 & 25 & 40 & 57 & 72 & 89 & 104 & 121 & 136 & 153 & 168 & 185 \\ 58 & 39 & 26 & 7 & 250 & 231 & 218 & 199 & 186 & 167 & 154 & 135 & 122 & 103 & 90 & 71 \\ 198 & 219 & 230 & 251 & 6 & 27 & 38 & 59 & 70 & 91 & 102 & 123 & 134 & 155 & 166 & 187 \\ 60 & 37 & 28 & 5 & 252 & 229 & 220 & 197 & 188 & 165 & 156 & 133 & 124 & 101 & 92 & 69 \\ 201 & 216 & 233 & 248 & 9 & 24 & 41 & 56 & 73 & 88 & 105 & 120 & 137 & 152 & 169 & 184 \\ 55 & 42 & 23 & 10 & 247 & 234 & 215 & 202 & 183 & 170 & 151 & 138 & 119 & 106 & 87 & 74 \\ 203 & 214 & 235 & 246 & 11 & 22 & 43 & 54 & 75 & 86 & 107 & 118 & 139 & 150 & 171 & 182 \\ 53 & 44 & 21 & 12 & 245 & 236 & 213 & 204 & 181 & 172 & 149 & 140 & 117 & 108 & 85 & 76 \\ 205 & 212 & 237 & 244 & 13 & 20 & 45 & 52 & 77 & 84 & 109 & 116 & 141 & 148 & 173 & 180 \\ 51 & 46 & 19 & 14 & 243 & 238 & 211 & 206 & 179 & 174 & 147 & 142 & 115 & 110 & 83 & 78 \\ 207 & 210 & 239 & 242 & 15 & 18 & 47 & 50 & 79 & 82 & 111 & 114 & 143 & 146 & 175 & 178 \\ 49 & 48 & 17 & 16 & 241 & 240 & 209 & 208 & 177 & 176 & 145 & 144 & 113 & 112 & 81 & 80 \\ 196 & 221 & 228 & 253 & 4 & 29 & 36 & 61 & 68 & 93 & 100 & 125 & 132 & 157 & 164 & 189 \\ 62 & 35 & 30 & 3 & 254 & 227 & 222 & 195 & 190 & 163 & 158 & 131 & 126 & 99 & 94 & 67 \\ 194 & 223 & 226 & 255 & 2 & 31 & 34 & 63 & 66 & 95 & 98 & 127 & 130 & 159 & 162 & 191 \\ 64 & 33 & 32 & 1 & 256 & 225 & 224 & 193 & 192 & 161 & 160 & 129 & 128 & 97 & 96 & 65 \end{bmatrix}, \tag{19}$$

with auxiliary matrices from (4) and [5]:

$$Q_{16} = \begin{bmatrix} 12 & 13 & 14 & 15 & 0 & 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & 9 & 10 & 11 \\ 3 & 2 & 1 & 0 & 15 & 14 & 13 & 12 & 11 & 10 & 9 & 8 & 7 & 6 & 5 & 4 \\ 12 & 13 & 14 & 15 & 0 & 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & 9 & 10 & 11 \\ 3 & 2 & 1 & 0 & 15 & 14 & 13 & 12 & 11 & 10 & 9 & 8 & 7 & 6 & 5 & 4 \\ \vdots & \vdots & \vdots & \vdots & \vdots & \vdots & \vdots & \vdots & \vdots & \vdots & \vdots & \vdots & \vdots & \vdots & \vdots & \vdots \\ 12 & 13 & 14 & 15 & 0 & 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & 9 & 10 & 11 \\ 3 & 2 & 1 & 0 & 15 & 14 & 13 & 12 & 11 & 10 & 9 & 8 & 7 & 6 & 5 & 4 \end{bmatrix}, \tag{20}$$

$$R_{16} = \begin{bmatrix} 7 & 8 & 7 & 8 & 7 & 8 & 7 & 8 & 7 & 8 & 7 & 8 & 7 & 8 & 7 & 8 \\ 9 & 6 & 9 & 6 & 9 & 6 & 9 & 6 & 9 & 6 & 9 & 6 & 9 & 6 & 9 & 6 \\ 5 & 10 & 5 & 10 & 5 & 10 & 5 & 10 & 5 & 10 & 5 & 10 & 5 & 10 & 5 & 10 \\ 11 & 4 & 11 & 4 & 11 & 4 & 11 & 4 & 11 & 4 & 11 & 4 & 11 & 4 & 11 & 4 \\ 8 & 7 & 8 & 7 & 8 & 7 & 8 & 7 & 8 & 7 & 8 & 7 & 8 & 7 & 8 & 7 \\ 6 & 9 & 6 & 9 & 6 & 9 & 6 & 9 & 6 & 9 & 6 & 9 & 6 & 9 & 6 & 9 \\ 10 & 5 & 10 & 5 & 10 & 5 & 10 & 5 & 10 & 5 & 10 & 5 & 10 & 5 & 10 & 5 \\ 4 & 11 & 4 & 11 & 4 & 11 & 4 & 11 & 4 & 11 & 4 & 11 & 4 & 11 & 4 & 11 \\ 12 & 3 & 12 & 3 & 12 & 3 & 12 & 3 & 12 & 3 & 12 & 3 & 12 & 3 & 12 & 3 \\ 2 & 13 & 2 & 13 & 2 & 13 & 2 & 13 & 2 & 13 & 2 & 13 & 2 & 13 & 2 & 13 \\ 14 & 1 & 14 & 1 & 14 & 1 & 14 & 1 & 14 & 1 & 14 & 1 & 14 & 1 & 14 & 1 \\ 0 & 15 & 0 & 15 & 0 & 15 & 0 & 15 & 0 & 15 & 0 & 15 & 0 & 15 & 0 & 15 \\ 3 & 12 & 3 & 12 & 3 & 12 & 3 & 12 & 3 & 12 & 3 & 12 & 3 & 12 & 3 & 12 \\ 13 & 2 & 13 & 2 & 13 & 2 & 13 & 2 & 13 & 2 & 13 & 2 & 13 & 2 & 13 & 2 \\ 1 & 14 & 1 & 14 & 1 & 14 & 1 & 14 & 1 & 14 & 1 & 14 & 1 & 14 & 1 & 14 \\ 15 & 0 & 15 & 0 & 15 & 0 & 15 & 0 & 15 & 0 & 15 & 0 & 15 & 0 & 15 & 0 \end{bmatrix}. \tag{21}$$

These auxiliary matrices satisfy Franklin's three sum conditions with $\tilde{m} = 120$. They can be constructed by Nordgren's formulas [6]. The Franklin square F_{16} also is constructed by Jacobs' direct method [4].

Here is Franklin's pandiagonal square according to Pasles [10, p. 202]:

$$F_{16} = \begin{bmatrix} 16 & 255 & 2 & 241 & 14 & 253 & 4 & 243 & 12 & 251 & 6 & 245 & 10 & 249 & 8 & 247 \\ 1 & 242 & 15 & 256 & 3 & 244 & 13 & 254 & 5 & 246 & 11 & 252 & 7 & 248 & 9 & 250 \\ 240 & 31 & 226 & 17 & 238 & 29 & 228 & 19 & 236 & 27 & 230 & 21 & 234 & 25 & 232 & 23 \\ 225 & 18 & 239 & 32 & 227 & 20 & 237 & 30 & 229 & 22 & 235 & 28 & 231 & 24 & 233 & 26 \\ 223 & 48 & 209 & 34 & 221 & 46 & 211 & 36 & 219 & 44 & 213 & 38 & 217 & 42 & 215 & 40 \\ 210 & 33 & 224 & 47 & 212 & 35 & 222 & 45 & 214 & 37 & 220 & 43 & 216 & 39 & 218 & 41 \\ 63 & 208 & 49 & 194 & 61 & 206 & 51 & 196 & 59 & 204 & 53 & 198 & 57 & 202 & 55 & 200 \\ 50 & 193 & 64 & 207 & 52 & 195 & 62 & 205 & 54 & 197 & 60 & 203 & 56 & 199 & 58 & 201 \\ 80 & 191 & 66 & 177 & 78 & 189 & 68 & 179 & 76 & 187 & 70 & 181 & 74 & 185 & 72 & 183 \\ 65 & 178 & 79 & 192 & 67 & 180 & 77 & 190 & 69 & 182 & 75 & 188 & 71 & 184 & 73 & 186 \\ 176 & 95 & 162 & 81 & 174 & 93 & 164 & 83 & 172 & 91 & 166 & 85 & 170 & 89 & 168 & 87 \\ 161 & 82 & 175 & 96 & 163 & 84 & 173 & 94 & 165 & 86 & 171 & 92 & 167 & 88 & 169 & 90 \\ 159 & 112 & 145 & 98 & 157 & 110 & 147 & 100 & 155 & 108 & 149 & 102 & 153 & 106 & 151 & 104 \\ 146 & 97 & 160 & 111 & 148 & 99 & 158 & 109 & 150 & 101 & 156 & 107 & 152 & 103 & 154 & 105 \\ 127 & 144 & 113 & 130 & 125 & 142 & 115 & 132 & 123 & 140 & 117 & 134 & 121 & 138 & 119 & 136 \\ 114 & 129 & 128 & 143 & 116 & 131 & 126 & 141 & 118 & 133 & 124 & 139 & 120 & 135 & 122 & 137 \end{bmatrix}, \tag{22}$$

with auxiliary matrices from (4) and [5]:

$$Q_{16} = \begin{bmatrix} 0 & 15 & 0 & 15 & 0 & 15 & 0 & 15 & 0 & 15 & 0 & 15 & 0 & 15 & 0 & 15 \\ 0 & 15 & 0 & 15 & 0 & 15 & 0 & 15 & 0 & 15 & 0 & 15 & 0 & 15 & 0 & 15 \\ 14 & 1 & 14 & 1 & 14 & 1 & 14 & 1 & 14 & 1 & 14 & 1 & 14 & 1 & 14 & 1 \\ 14 & 1 & 14 & 1 & 14 & 1 & 14 & 1 & 14 & 1 & 14 & 1 & 14 & 1 & 14 & 1 \\ 13 & 2 & 13 & 2 & 13 & 2 & 13 & 2 & 13 & 2 & 13 & 2 & 13 & 2 & 13 & 2 \\ 13 & 2 & 13 & 2 & 13 & 2 & 13 & 2 & 13 & 2 & 13 & 2 & 13 & 2 & 13 & 2 \\ 3 & 12 & 3 & 12 & 3 & 12 & 3 & 12 & 3 & 12 & 3 & 12 & 3 & 12 & 3 & 12 \\ 3 & 12 & 3 & 12 & 3 & 12 & 3 & 12 & 3 & 12 & 3 & 12 & 3 & 12 & 3 & 12 \\ 4 & 11 & 4 & 11 & 4 & 11 & 4 & 11 & 4 & 11 & 4 & 11 & 4 & 11 & 4 & 11 \\ 4 & 11 & 4 & 11 & 4 & 11 & 4 & 11 & 4 & 11 & 4 & 11 & 4 & 11 & 4 & 11 \\ 10 & 5 & 10 & 5 & 10 & 5 & 10 & 5 & 10 & 5 & 10 & 5 & 10 & 5 & 10 & 5 \\ 10 & 5 & 10 & 5 & 10 & 5 & 10 & 5 & 10 & 5 & 10 & 5 & 10 & 5 & 10 & 5 \\ 9 & 6 & 9 & 6 & 9 & 6 & 9 & 6 & 9 & 6 & 9 & 6 & 9 & 6 & 9 & 6 \\ 9 & 6 & 9 & 6 & 9 & 6 & 9 & 6 & 9 & 6 & 9 & 6 & 9 & 6 & 9 & 6 \\ 7 & 8 & 7 & 8 & 7 & 8 & 7 & 8 & 7 & 8 & 7 & 8 & 7 & 8 & 7 & 8 \\ 7 & 8 & 7 & 8 & 7 & 8 & 7 & 8 & 7 & 8 & 7 & 8 & 7 & 8 & 7 & 8 \end{bmatrix}, \tag{23}$$

$$R_{16} = \begin{bmatrix} 15 & 14 & 1 & 0 & 13 & 12 & 3 & 2 & 11 & 10 & 5 & 4 & 9 & 8 & 7 & 6 \\ 0 & 1 & 14 & 15 & 2 & 3 & 12 & 13 & 4 & 5 & 10 & 11 & 6 & 7 & 8 & 9 \\ 15 & 14 & 1 & 0 & 13 & 12 & 3 & 2 & 11 & 10 & 5 & 4 & 9 & 8 & 7 & 6 \\ 0 & 1 & 14 & 15 & 2 & 3 & 12 & 13 & 4 & 5 & 10 & 11 & 6 & 7 & 8 & 9 \\ 14 & 15 & 0 & 1 & 12 & 13 & 2 & 3 & 10 & 11 & 4 & 5 & 8 & 9 & 6 & 7 \\ 1 & 0 & 15 & 14 & 3 & 2 & 13 & 12 & 5 & 4 & 11 & 10 & 7 & 6 & 9 & 8 \\ 14 & 15 & 0 & 1 & 12 & 13 & 2 & 3 & 10 & 11 & 4 & 5 & 8 & 9 & 6 & 7 \\ 1 & 0 & 15 & 14 & 3 & 2 & 13 & 12 & 5 & 4 & 11 & 10 & 7 & 6 & 9 & 8 \\ 15 & 14 & 1 & 0 & 13 & 12 & 3 & 2 & 11 & 10 & 5 & 4 & 9 & 8 & 7 & 6 \\ 0 & 1 & 14 & 15 & 2 & 3 & 12 & 13 & 4 & 5 & 10 & 11 & 6 & 7 & 8 & 9 \\ 15 & 14 & 1 & 0 & 13 & 12 & 3 & 2 & 11 & 10 & 5 & 4 & 9 & 8 & 7 & 6 \\ 0 & 1 & 14 & 15 & 2 & 3 & 12 & 13 & 4 & 5 & 10 & 11 & 6 & 7 & 8 & 9 \\ 14 & 15 & 0 & 1 & 12 & 13 & 2 & 3 & 10 & 11 & 4 & 5 & 8 & 9 & 6 & 7 \\ 1 & 0 & 15 & 14 & 3 & 2 & 13 & 12 & 5 & 4 & 11 & 10 & 7 & 6 & 9 & 8 \\ 14 & 15 & 0 & 1 & 12 & 13 & 2 & 3 & 10 & 11 & 4 & 5 & 8 & 9 & 6 & 7 \\ 1 & 0 & 15 & 14 & 3 & 2 & 13 & 12 & 5 & 4 & 11 & 10 & 7 & 6 & 9 & 8 \end{bmatrix}. \tag{24}$$

These auxiliary matrices satisfy Franklin's three sum conditions with $\tilde{m} = 120$ and they are pandiagonal. Again their elements follow a distinct pattern.

Here is a new order-16 natural, pandiagonal, Franklin square constructed by generalizing the order-8 auxiliary squares (14):

$$F_{16} = \begin{bmatrix}
2 & 241 & 6 & 245 & 10 & 249 & 14 & 253 & 16 & 255 & 12 & 251 & 8 & 247 & 4 & 243 \\
15 & 256 & 11 & 252 & 7 & 248 & 3 & 244 & 1 & 242 & 5 & 246 & 9 & 250 & 13 & 254 \\
225 & 18 & 229 & 22 & 233 & 26 & 237 & 30 & 239 & 32 & 235 & 28 & 231 & 24 & 227 & 20 \\
240 & 31 & 236 & 27 & 232 & 23 & 228 & 19 & 226 & 17 & 230 & 21 & 234 & 25 & 238 & 29 \\
210 & 33 & 214 & 37 & 218 & 41 & 222 & 45 & 224 & 47 & 220 & 43 & 216 & 39 & 212 & 35 \\
223 & 48 & 219 & 44 & 215 & 40 & 211 & 36 & 209 & 34 & 213 & 38 & 217 & 42 & 221 & 46 \\
49 & 194 & 53 & 198 & 57 & 202 & 61 & 206 & 63 & 208 & 59 & 204 & 55 & 200 & 51 & 196 \\
64 & 207 & 60 & 203 & 56 & 199 & 52 & 195 & 50 & 193 & 54 & 197 & 58 & 201 & 62 & 205 \\
66 & 177 & 70 & 181 & 74 & 185 & 78 & 189 & 80 & 191 & 76 & 187 & 72 & 183 & 68 & 179 \\
79 & 192 & 75 & 188 & 71 & 184 & 67 & 180 & 65 & 178 & 69 & 182 & 73 & 186 & 77 & 190 \\
161 & 82 & 165 & 86 & 169 & 90 & 173 & 94 & 175 & 96 & 171 & 92 & 167 & 88 & 163 & 84 \\
176 & 95 & 172 & 91 & 168 & 87 & 164 & 83 & 162 & 81 & 166 & 85 & 170 & 89 & 174 & 93 \\
146 & 97 & 150 & 101 & 154 & 105 & 158 & 109 & 160 & 111 & 156 & 107 & 152 & 103 & 148 & 99 \\
159 & 112 & 155 & 108 & 151 & 104 & 147 & 100 & 145 & 98 & 149 & 102 & 153 & 106 & 157 & 110 \\
113 & 130 & 117 & 134 & 121 & 138 & 125 & 142 & 127 & 144 & 123 & 140 & 119 & 136 & 115 & 132 \\
128 & 143 & 124 & 139 & 120 & 135 & 116 & 131 & 114 & 129 & 118 & 133 & 122 & 137 & 126 & 141
\end{bmatrix}. \tag{25}$$

Further generalizations should lead to higher order-$8k$ squares of this same type.

Here is a new order-16 natural Franklin square constructed by generalizing the order-8 auxiliary squares (16):

$$F_{16} = \begin{bmatrix}
65 & 191 & 94 & 164 & 69 & 187 & 90 & 168 & 73 & 183 & 86 & 172 & 77 & 179 & 82 & 176 \\
96 & 162 & 67 & 189 & 92 & 166 & 71 & 185 & 88 & 170 & 75 & 181 & 84 & 174 & 79 & 177 \\
97 & 159 & 126 & 132 & 101 & 155 & 122 & 136 & 105 & 151 & 118 & 140 & 109 & 147 & 114 & 144 \\
128 & 130 & 99 & 157 & 124 & 134 & 103 & 153 & 120 & 138 & 107 & 149 & 116 & 142 & 111 & 145 \\
129 & 127 & 158 & 100 & 133 & 123 & 154 & 104 & 137 & 119 & 150 & 108 & 141 & 115 & 146 & 112 \\
160 & 98 & 131 & 125 & 156 & 102 & 135 & 121 & 152 & 106 & 139 & 117 & 148 & 110 & 143 & 113 \\
161 & 95 & 190 & 68 & 165 & 91 & 186 & 72 & 169 & 87 & 182 & 76 & 173 & 83 & 178 & 80 \\
192 & 66 & 163 & 93 & 188 & 70 & 167 & 89 & 184 & 74 & 171 & 85 & 180 & 78 & 175 & 81 \\
193 & 63 & 222 & 36 & 197 & 59 & 218 & 40 & 201 & 55 & 214 & 44 & 205 & 51 & 210 & 48 \\
224 & 34 & 195 & 61 & 220 & 38 & 199 & 57 & 216 & 42 & 203 & 53 & 212 & 46 & 207 & 49 \\
225 & 31 & 254 & 4 & 229 & 27 & 250 & 8 & 233 & 23 & 246 & 12 & 237 & 19 & 242 & 16 \\
256 & 2 & 227 & 29 & 252 & 6 & 231 & 25 & 248 & 10 & 235 & 21 & 244 & 14 & 239 & 17 \\
1 & 255 & 30 & 228 & 5 & 251 & 26 & 232 & 9 & 247 & 22 & 236 & 13 & 243 & 18 & 240 \\
32 & 226 & 3 & 253 & 28 & 230 & 7 & 249 & 24 & 234 & 11 & 245 & 20 & 238 & 15 & 241 \\
33 & 223 & 62 & 196 & 37 & 219 & 58 & 200 & 41 & 215 & 54 & 204 & 45 & 211 & 50 & 208 \\
64 & 194 & 35 & 221 & 60 & 198 & 39 & 217 & 56 & 202 & 43 & 213 & 52 & 206 & 47 & 209
\end{bmatrix}. \tag{26}$$

Further generalizations should lead to higher order-$8k$ squares of this same type. Several other squares of the Franklin type are constructed by Morris [5] using Eulerian composition. Also, Hurkens [3] constructs several Franklin squares of various orders by direct methods.

Conclusion

In the author's opinion and that of others [5, 10], the distinct pattern of elements of the auxiliary matrices Q_n and R_n considered here indicate that Franklin probably used the Eulerian composite method of construction of his squares of orders 8 and 16. It is difficult to see how many of his

squares and others presented here and in [5, 10] could be constructed by a direct method. However, the referees of Nordgren's article [6] contend that Franklin used a direct method which shows that the question of Franklin's construction method may never be resolved to everyone's satisfaction.

Acknowledgement I thank Peter Loly and Donald Morris for helpful discussions and Adam Rogers for sending me the 4320 basic order-8 Franklin squares from [13].

References

[1] H. Behrforooz, Behrforooz-Franklin 32 by 32 Magic Square, J. Rec. Math. **33** (2005) 2004-2005.

[2] L. Euler, De quadratis magicis, Commentationes arithmeticae **2** (1849), 593-602 (Delivered to the St. Petersburg Academy October 17, 1776), (Translation: arxiv.org - arXiv:math/0408230v6 [math.CO]).

[3] C. Hurkens, Plenty of Franklin magic squares, but none of order 12 (2007), available at: http://www.win.tue.nl/bs/spor/2007-06.pdf.

[4] C. Jacobs, A reexamination of the Franklin square, The Mathematics Teacher **64** (1971) 55-62.

[5] D. Morris, Best Franklin Squares, available at: http://www.bestfranklinsquares.com.

[6] R. Nordgren, How Franklin may have made his squares, Mathematics Mag. (in press).

[7] ———, On Franklin and complete magic square matrices, Fibonacci Quart. **54** (2016) 304-318.

[8] ———, On properties of special magic squares, Linear Algebra Appl. **437** (2012) 2009-2025.

[9] K. Ollerenshaw and D. S. Brée, Most-Perfect Pandiagonal Magic Squares: Their Construction and Enumeration, The Institute of Mathematics and its Applications, Southend-on-Sea, UK, 1998.

[10] P. Pasles, Benjamin Franklin's Numbers, Princeton University Press, Princeton, NJ, (2008).

[11] ———, A bent for magic, Math. Mag. **79** (2006) 3-13.

[12] C. Pickover, The Zen of Magic Squares, Circles, and Stars, Princeton University Press, Princeton, NJ, (2002), (also a Kindle e-book).

[13] D. Schindel, M. Rempel, and P. Loly, Enumerating the bent diagonal squares of Dr Benjamin Franklin FRS, Proc. Roy. Soc. A **462** (2006) 2271–2279.

$$F_{24} = \begin{bmatrix}
444 & 469 & 492 & 517 & 540 & 565 & 12 & 37 & 60 & 85 & 108 & 133 \\
134 & 107 & 86 & 59 & 38 & 11 & 566 & 539 & 518 & 491 & 470 & 443 \\
442 & 471 & 490 & 519 & 538 & 567 & 10 & 39 & 58 & 87 & 106 & 135 \\
136 & 105 & 88 & 57 & 40 & 9 & 568 & 537 & 520 & 489 & 472 & 441 \\
440 & 473 & 488 & 521 & 536 & 569 & 8 & 41 & 56 & 89 & 104 & 137 \\
138 & 103 & 90 & 55 & 42 & 7 & 570 & 535 & 522 & 487 & 474 & 439 \\
445 & 468 & 493 & 516 & 541 & 564 & 13 & 36 & 61 & 84 & 109 & 132 \\
131 & 110 & 83 & 62 & 35 & 14 & 563 & 542 & 515 & 494 & 467 & 446 \\
447 & 466 & 495 & 514 & 543 & 562 & 15 & 34 & 63 & 82 & 111 & 130 \\
129 & 112 & 81 & 64 & 33 & 16 & 561 & 544 & 513 & 496 & 465 & 448 \\
449 & 464 & 497 & 512 & 545 & 560 & 17 & 32 & 65 & 80 & 113 & 128 \\
127 & 114 & 79 & 66 & 31 & 18 & 559 & 546 & 511 & 498 & 463 & 450 \\
451 & 462 & 499 & 510 & 547 & 558 & 19 & 30 & 67 & 78 & 115 & 126 \\
125 & 116 & 77 & 68 & 29 & 20 & 557 & 548 & 509 & 500 & 461 & 452 \\
453 & 460 & 501 & 508 & 549 & 556 & 21 & 28 & 69 & 76 & 117 & 124 \\
123 & 118 & 75 & 70 & 27 & 22 & 555 & 550 & 507 & 502 & 459 & 454 \\
455 & 458 & 503 & 506 & 551 & 554 & 23 & 26 & 71 & 74 & 119 & 122 \\
121 & 120 & 73 & 72 & 25 & 24 & 553 & 552 & 505 & 504 & 457 & 456 \\
438 & 475 & 486 & 523 & 534 & 571 & 6 & 43 & 54 & 91 & 102 & 139 \\
140 & 101 & 92 & 53 & 44 & 5 & 572 & 533 & 524 & 485 & 476 & 437 \\
436 & 477 & 484 & 525 & 532 & 573 & 4 & 45 & 52 & 93 & 100 & 141 \\
142 & 99 & 94 & 51 & 46 & 3 & 574 & 531 & 526 & 483 & 478 & 435 \\
434 & 479 & 482 & 527 & 530 & 575 & 2 & 47 & 50 & 95 & 98 & 143 \\
144 & 97 & 96 & 49 & 48 & 1 & 576 & 529 & 528 & 481 & 480 & 433
\end{bmatrix}$$

$$\begin{bmatrix}
156 & 181 & 204 & 229 & 252 & 277 & 300 & 325 & 348 & 373 & 396 & 421 \\
422 & 395 & 374 & 347 & 326 & 299 & 278 & 251 & 230 & 203 & 182 & 155 \\
154 & 183 & 202 & 231 & 250 & 279 & 298 & 327 & 346 & 375 & 394 & 423 \\
424 & 393 & 376 & 345 & 328 & 297 & 280 & 249 & 232 & 201 & 184 & 153 \\
152 & 185 & 200 & 233 & 248 & 281 & 296 & 329 & 344 & 377 & 392 & 425 \\
426 & 391 & 378 & 343 & 330 & 295 & 282 & 247 & 234 & 199 & 186 & 151 \\
157 & 180 & 205 & 228 & 253 & 276 & 301 & 324 & 349 & 372 & 397 & 420 \\
419 & 398 & 371 & 350 & 323 & 302 & 275 & 254 & 227 & 206 & 179 & 158 \\
159 & 178 & 207 & 226 & 255 & 274 & 303 & 322 & 351 & 370 & 399 & 418 \\
417 & 400 & 369 & 352 & 321 & 304 & 273 & 256 & 225 & 208 & 177 & 160 \\
161 & 176 & 209 & 224 & 257 & 272 & 305 & 320 & 353 & 368 & 401 & 416 \\
415 & 402 & 367 & 354 & 319 & 306 & 271 & 258 & 223 & 210 & 175 & 162 \\
163 & 174 & 211 & 222 & 259 & 270 & 307 & 318 & 355 & 366 & 403 & 414 \\
413 & 404 & 365 & 356 & 317 & 308 & 269 & 260 & 221 & 212 & 173 & 164 \\
165 & 172 & 213 & 220 & 261 & 268 & 309 & 316 & 357 & 364 & 405 & 412 \\
411 & 406 & 363 & 358 & 315 & 310 & 267 & 262 & 219 & 214 & 171 & 166 \\
167 & 170 & 215 & 218 & 263 & 266 & 311 & 314 & 359 & 362 & 407 & 410 \\
409 & 408 & 361 & 360 & 313 & 312 & 265 & 264 & 217 & 216 & 169 & 168 \\
150 & 187 & 198 & 235 & 246 & 283 & 294 & 331 & 342 & 379 & 390 & 427 \\
428 & 389 & 380 & 341 & 332 & 293 & 284 & 245 & 236 & 197 & 188 & 149 \\
148 & 189 & 196 & 237 & 244 & 285 & 292 & 333 & 340 & 381 & 388 & 429 \\
430 & 387 & 382 & 339 & 334 & 291 & 286 & 243 & 238 & 195 & 190 & 147 \\
146 & 191 & 194 & 239 & 242 & 287 & 290 & 335 & 338 & 383 & 386 & 431 \\
432 & 385 & 384 & 337 & 336 & 289 & 288 & 241 & 240 & 193 & 192 & 145
\end{bmatrix}$$

Figure 1 Order-24 Franklin square

$$Q_{24} = \begin{bmatrix}
18 & 19 & 20 & 21 & 22 & 23 & 0 & 1 & 2 & 3 & 4 & 5 \\
5 & 4 & 3 & 2 & 1 & 0 & 23 & 22 & 21 & 20 & 19 & 18 \\
18 & 19 & 20 & 21 & 22 & 23 & 0 & 1 & 2 & 3 & 4 & 5 \\
5 & 4 & 3 & 2 & 1 & 0 & 23 & 22 & 21 & 20 & 19 & 18 \\
18 & 19 & 20 & 21 & 22 & 23 & 0 & 1 & 2 & 3 & 4 & 5 \\
5 & 4 & 3 & 2 & 1 & 0 & 23 & 22 & 21 & 20 & 19 & 18 \\
18 & 19 & 20 & 21 & 22 & 23 & 0 & 1 & 2 & 3 & 4 & 5 \\
5 & 4 & 3 & 2 & 1 & 0 & 23 & 22 & 21 & 20 & 19 & 18 \\
18 & 19 & 20 & 21 & 22 & 23 & 0 & 1 & 2 & 3 & 4 & 5 \\
5 & 4 & 3 & 2 & 1 & 0 & 23 & 22 & 21 & 20 & 19 & 18 \\
18 & 19 & 20 & 21 & 22 & 23 & 0 & 1 & 2 & 3 & 4 & 5 \\
5 & 4 & 3 & 2 & 1 & 0 & 23 & 22 & 21 & 20 & 19 & 18 \\
18 & 19 & 20 & 21 & 22 & 23 & 0 & 1 & 2 & 3 & 4 & 5 \\
5 & 4 & 3 & 2 & 1 & 0 & 23 & 22 & 21 & 20 & 19 & 18 \\
18 & 19 & 20 & 21 & 22 & 23 & 0 & 1 & 2 & 3 & 4 & 5 \\
5 & 4 & 3 & 2 & 1 & 0 & 23 & 22 & 21 & 20 & 19 & 18 \\
18 & 19 & 20 & 21 & 22 & 23 & 0 & 1 & 2 & 3 & 4 & 5 \\
5 & 4 & 3 & 2 & 1 & 0 & 23 & 22 & 21 & 20 & 19 & 18 \\
18 & 19 & 20 & 21 & 22 & 23 & 0 & 1 & 2 & 3 & 4 & 5 \\
5 & 4 & 3 & 2 & 1 & 0 & 23 & 22 & 21 & 20 & 19 & 18 \\
18 & 19 & 20 & 21 & 22 & 23 & 0 & 1 & 2 & 3 & 4 & 5 \\
5 & 4 & 3 & 2 & 1 & 0 & 23 & 22 & 21 & 20 & 19 & 18
\end{bmatrix}$$

$$\begin{bmatrix}
6 & 7 & 8 & 9 & 10 & 11 & 12 & 13 & 14 & 15 & 16 & 17 \\
17 & 16 & 15 & 14 & 13 & 12 & 11 & 10 & 9 & 8 & 7 & 6 \\
6 & 7 & 8 & 9 & 10 & 11 & 12 & 13 & 14 & 15 & 16 & 17 \\
17 & 16 & 15 & 14 & 13 & 12 & 11 & 10 & 9 & 8 & 7 & 6 \\
6 & 7 & 8 & 9 & 10 & 11 & 12 & 13 & 14 & 15 & 16 & 17 \\
17 & 16 & 15 & 14 & 13 & 12 & 11 & 10 & 9 & 8 & 7 & 6 \\
6 & 7 & 8 & 9 & 10 & 11 & 12 & 13 & 14 & 15 & 16 & 17 \\
17 & 16 & 15 & 14 & 13 & 12 & 11 & 10 & 9 & 8 & 7 & 6 \\
6 & 7 & 8 & 9 & 10 & 11 & 12 & 13 & 14 & 15 & 16 & 17 \\
17 & 16 & 15 & 14 & 13 & 12 & 11 & 10 & 9 & 8 & 7 & 6 \\
6 & 7 & 8 & 9 & 10 & 11 & 12 & 13 & 14 & 15 & 16 & 17 \\
17 & 16 & 15 & 14 & 13 & 12 & 11 & 10 & 9 & 8 & 7 & 6 \\
6 & 7 & 8 & 9 & 10 & 11 & 12 & 13 & 14 & 15 & 16 & 17 \\
17 & 16 & 15 & 14 & 13 & 12 & 11 & 10 & 9 & 8 & 7 & 6 \\
6 & 7 & 8 & 9 & 10 & 11 & 12 & 13 & 14 & 15 & 16 & 17 \\
17 & 16 & 15 & 14 & 13 & 12 & 11 & 10 & 9 & 8 & 7 & 6 \\
6 & 7 & 8 & 9 & 10 & 11 & 12 & 13 & 14 & 15 & 16 & 17 \\
17 & 16 & 15 & 14 & 13 & 12 & 11 & 10 & 9 & 8 & 7 & 6 \\
6 & 7 & 8 & 9 & 10 & 11 & 12 & 13 & 14 & 15 & 16 & 17 \\
17 & 16 & 15 & 14 & 13 & 12 & 11 & 10 & 9 & 8 & 7 & 6
\end{bmatrix}$$

Figure 2 Quotient matrix for F_{24}

$$R_{24} = \begin{bmatrix}
11 & 12 & 11 & 12 & 11 & 12 & 11 & 12 & 11 & 12 & 11 & 12 \\
13 & 10 & 13 & 10 & 13 & 10 & 13 & 10 & 13 & 10 & 13 & 10 \\
9 & 14 & 9 & 14 & 9 & 14 & 9 & 14 & 9 & 14 & 9 & 14 \\
15 & 8 & 15 & 8 & 15 & 8 & 15 & 8 & 15 & 8 & 15 & 8 \\
7 & 16 & 7 & 16 & 7 & 16 & 7 & 16 & 7 & 16 & 7 & 16 \\
17 & 6 & 17 & 6 & 17 & 6 & 17 & 6 & 17 & 6 & 17 & 6 \\
12 & 11 & 12 & 11 & 12 & 11 & 12 & 11 & 12 & 11 & 12 & 11 \\
10 & 13 & 10 & 13 & 10 & 13 & 10 & 13 & 10 & 13 & 10 & 13 \\
14 & 9 & 14 & 9 & 14 & 9 & 14 & 9 & 14 & 9 & 14 & 9 \\
8 & 15 & 8 & 15 & 8 & 15 & 8 & 15 & 8 & 15 & 8 & 15 \\
16 & 7 & 16 & 7 & 16 & 7 & 16 & 7 & 16 & 7 & 16 & 7 \\
6 & 17 & 6 & 17 & 6 & 17 & 6 & 17 & 6 & 17 & 6 & 17 \\
18 & 5 & 18 & 5 & 18 & 5 & 18 & 5 & 18 & 5 & 18 & 5 \\
4 & 19 & 4 & 19 & 4 & 19 & 4 & 19 & 4 & 19 & 4 & 19 \\
20 & 3 & 20 & 3 & 20 & 3 & 20 & 3 & 20 & 3 & 20 & 3 \\
2 & 21 & 2 & 21 & 2 & 21 & 2 & 21 & 2 & 21 & 2 & 21 \\
22 & 1 & 22 & 1 & 22 & 1 & 22 & 1 & 22 & 1 & 22 & 1 \\
0 & 23 & 0 & 23 & 0 & 23 & 0 & 23 & 0 & 23 & 0 & 23 \\
5 & 18 & 5 & 18 & 5 & 18 & 5 & 18 & 5 & 18 & 5 & 18 \\
19 & 4 & 19 & 4 & 19 & 4 & 19 & 4 & 19 & 4 & 19 & 4 \\
3 & 20 & 3 & 20 & 3 & 20 & 3 & 20 & 3 & 20 & 3 & 20 \\
21 & 2 & 21 & 2 & 21 & 2 & 21 & 2 & 21 & 2 & 21 & 2 \\
1 & 22 & 1 & 22 & 1 & 22 & 1 & 22 & 1 & 22 & 1 & 22 \\
23 & 0 & 23 & 0 & 23 & 0 & 23 & 0 & 23 & 0 & 23 & 0
\end{bmatrix}
\begin{bmatrix}
11 & 12 & 11 & 12 & 11 & 12 & 11 & 12 & 11 & 12 & 11 & 12 \\
13 & 10 & 13 & 10 & 13 & 10 & 13 & 10 & 13 & 10 & 13 & 10 \\
9 & 14 & 9 & 14 & 9 & 14 & 9 & 14 & 9 & 14 & 9 & 14 \\
15 & 8 & 15 & 8 & 15 & 8 & 15 & 8 & 15 & 8 & 15 & 8 \\
7 & 16 & 7 & 16 & 7 & 16 & 7 & 16 & 7 & 16 & 7 & 16 \\
17 & 6 & 17 & 6 & 17 & 6 & 17 & 6 & 17 & 6 & 17 & 6 \\
12 & 11 & 12 & 11 & 12 & 11 & 12 & 11 & 12 & 11 & 12 & 11 \\
10 & 13 & 10 & 13 & 10 & 13 & 10 & 13 & 10 & 13 & 10 & 13 \\
14 & 9 & 14 & 9 & 14 & 9 & 14 & 9 & 14 & 9 & 14 & 9 \\
8 & 15 & 8 & 15 & 8 & 15 & 8 & 15 & 8 & 15 & 8 & 15 \\
16 & 7 & 16 & 7 & 16 & 7 & 16 & 7 & 16 & 7 & 16 & 7 \\
6 & 17 & 6 & 17 & 6 & 17 & 6 & 17 & 6 & 17 & 6 & 17 \\
18 & 5 & 18 & 5 & 18 & 5 & 18 & 5 & 18 & 5 & 18 & 5 \\
4 & 19 & 4 & 19 & 4 & 19 & 4 & 19 & 4 & 19 & 4 & 19 \\
20 & 3 & 20 & 3 & 20 & 3 & 20 & 3 & 20 & 3 & 20 & 3 \\
2 & 21 & 2 & 21 & 2 & 21 & 2 & 21 & 2 & 21 & 2 & 21 \\
22 & 1 & 22 & 1 & 22 & 1 & 22 & 1 & 22 & 1 & 22 & 1 \\
0 & 23 & 0 & 23 & 0 & 23 & 0 & 23 & 0 & 23 & 0 & 23 \\
5 & 18 & 5 & 18 & 5 & 18 & 5 & 18 & 5 & 18 & 5 & 18 \\
19 & 4 & 19 & 4 & 19 & 4 & 19 & 4 & 19 & 4 & 19 & 4 \\
3 & 20 & 3 & 20 & 3 & 20 & 3 & 20 & 3 & 20 & 3 & 20 \\
21 & 2 & 21 & 2 & 21 & 2 & 21 & 2 & 21 & 2 & 21 & 2 \\
1 & 22 & 1 & 22 & 1 & 22 & 1 & 22 & 1 & 22 & 1 & 22 \\
23 & 0 & 23 & 0 & 23 & 0 & 23 & 0 & 23 & 0 & 23 & 0
\end{bmatrix}$$

Figure 3 Remainder matrix for F_{24}

1220	1261	1300	1341	1380	1421	1460	1501	1540	1581	20	61	100
382	339	302	259	222	179	142	99	62	19	1582	1539	1502
1218	1263	1298	1343	1378	1423	1458	1503	1538	1583	18	63	98
384	337	304	257	224	177	144	97	64	17	1584	1537	1504
1216	1265	1296	1345	1376	1425	1456	1505	1536	1585	16	65	96
386	335	306	255	226	175	146	95	66	15	1586	1535	1506
1214	1267	1294	1347	1374	1427	1454	1507	1534	1587	14	67	94
388	333	308	253	228	173	148	93	68	13	1588	1533	1508
1212	1269	1292	1349	1372	1429	1452	1509	1532	1589	12	69	92
390	331	310	251	230	171	150	91	70	11	1590	1531	1510
1221	1260	1301	1340	1381	1420	1461	1500	1541	1580	21	60	101
379	342	299	262	219	182	139	102	59	22	1579	1542	1499
1223	1258	1303	1338	1383	1418	1463	1498	1543	1578	23	58	103
377	344	297	264	217	184	137	104	57	24	1577	1544	1497
1225	1256	1305	1336	1385	1416	1465	1496	1545	1576	25	56	105
375	346	295	266	215	186	135	106	55	26	1575	1546	1495
1227	1254	1307	1334	1387	1414	1467	1494	1547	1574	27	54	107
373	348	293	268	213	188	133	108	53	28	1573	1548	1493
1229	1252	1309	1332	1389	1412	1469	1492	1549	1572	29	52	109
371	350	291	270	211	190	131	110	51	30	1571	1550	1491
1231	1250	1311	1330	1391	1410	1471	1490	1551	1570	31	50	111
369	352	289	272	209	192	129	112	49	32	1569	1552	1489
1233	1248	1313	1328	1393	1408	1473	1488	1553	1568	33	48	113
367	354	287	274	207	194	127	114	47	34	1567	1554	1487
1235	1246	1315	1326	1395	1406	1475	1486	1555	1566	35	46	115
365	356	285	276	205	196	125	116	45	36	1565	1556	1485
1237	1244	1317	1324	1397	1404	1477	1484	1557	1564	37	44	117
363	358	283	278	203	198	123	118	43	38	1563	1558	1483
1239	1242	1319	1322	1399	1402	1479	1482	1559	1562	39	42	119
361	360	281	280	201	200	121	120	41	40	1561	1560	1481
1210	1271	1290	1351	1370	1431	1450	1511	1530	1591	10	71	90
392	329	312	249	232	169	152	89	72	9	1592	1529	1512
1208	1273	1288	1353	1368	1433	1448	1513	1528	1593	8	73	88
394	327	314	247	234	167	154	87	74	7	1594	1527	1514
1206	1275	1286	1355	1366	1435	1446	1515	1526	1595	6	75	86
396	325	316	245	236	165	156	85	76	5	1596	1525	1516
1204	1277	1284	1357	1364	1437	1444	1517	1524	1597	4	77	84
398	323	318	243	238	163	158	83	78	3	1598	1523	1518
1202	1279	1282	1359	1362	1439	1442	1519	1522	1599	2	79	82
400	321	320	241	240	161	160	81	80	1	1600	1521	1520

Figure 4a Order-40 Franklin matrix - left third

141	180	221	260	301	340	381	420	461	500	541	580	621
1459	1422	1379	1342	1299	1262	1219	1182	1139	1102	1059	1022	979
143	178	223	258	303	338	383	418	463	498	543	578	623
1457	1424	1377	1344	1297	1264	1217	1184	1137	1104	1057	1024	977
145	176	225	256	305	336	385	416	465	496	545	576	625
1455	1426	1375	1346	1295	1266	1215	1186	1135	1106	1055	1026	975
147	174	227	254	307	334	387	414	467	494	547	574	627
1453	1428	1373	1348	1293	1268	1213	1188	1133	1108	1053	1028	973
149	172	229	252	309	332	389	412	469	492	549	572	629
1451	1430	1371	1350	1291	1270	1211	1190	1131	1110	1051	1030	971
140	181	220	261	300	341	380	421	460	501	540	581	620
1462	1419	1382	1339	1302	1259	1222	1179	1142	1099	1062	1019	982
138	183	218	263	298	343	378	423	458	503	538	583	618
1464	1417	1384	1337	1304	1257	1224	1177	1144	1097	1064	1017	984
136	185	216	265	296	345	376	425	456	505	536	585	616
1466	1415	1386	1335	1306	1255	1226	1175	1146	1095	1066	1015	986
134	187	214	267	294	347	374	427	454	507	534	587	614
1468	1413	1388	1333	1308	1253	1228	1173	1148	1093	1068	1013	988
132	189	212	269	292	349	372	429	452	509	532	589	612
1470	1411	1390	1331	1310	1251	1230	1171	1150	1091	1070	1011	990
130	191	210	271	290	351	370	431	450	511	530	591	610
1472	1409	1392	1329	1312	1249	1232	1169	1152	1089	1072	1009	992
128	193	208	273	288	353	368	433	448	513	528	593	608
1474	1407	1394	1327	1314	1247	1234	1167	1154	1087	1074	1007	994
126	195	206	275	286	355	366	435	446	515	526	595	606
1476	1405	1396	1325	1316	1245	1236	1165	1156	1085	1076	1005	996
124	197	204	277	284	357	364	437	444	517	524	597	604
1478	1403	1398	1323	1318	1243	1238	1163	1158	1083	1078	1003	998
122	199	202	279	282	359	362	439	442	519	522	599	602
1480	1401	1400	1321	1320	1241	1240	1161	1160	1081	1080	1001	1000
151	170	231	250	311	330	391	410	471	490	551	570	631
1449	1432	1369	1352	1289	1272	1209	1192	1129	1112	1049	1032	969
153	168	233	248	313	328	393	408	473	488	553	568	633
1447	1434	1367	1354	1287	1274	1207	1194	1127	1114	1047	1034	967
155	166	235	246	315	326	395	406	475	486	555	566	635
1445	1436	1365	1356	1285	1276	1205	1196	1125	1116	1045	1036	965
157	164	237	244	317	324	397	404	477	484	557	564	637
1443	1438	1363	1358	1283	1278	1203	1198	1123	1118	1043	1038	963
159	162	239	242	319	322	399	402	479	482	559	562	639
1441	1440	1361	1360	1281	1280	1201	1200	1121	1120	1041	1040	961

Figure 4b Order-40 Franklin matrix - middle third

660	701	740	781	820	861	900	941	980	1021	1060	1101	1140	1181
942	899	862	819	782	739	702	659	622	579	542	499	462	419
658	703	738	783	818	863	898	943	978	1023	1058	1103	1138	1183
944	897	864	817	784	737	704	657	624	577	544	497	464	417
656	705	736	785	816	865	896	945	976	1025	1056	1105	1136	1185
946	895	866	815	786	735	706	655	626	575	546	495	466	415
654	707	734	787	814	867	894	947	974	1027	1054	1107	1134	1187
948	893	868	813	788	733	708	653	628	573	548	493	468	413
652	709	732	789	812	869	892	949	972	1029	1052	1109	1132	1189
950	891	870	811	790	731	710	651	630	571	550	491	470	411
661	700	741	780	821	860	901	940	981	1020	1061	1100	1141	1180
939	902	859	822	779	742	699	662	619	582	539	502	459	422
663	698	743	778	823	858	903	938	983	1018	1063	1098	1143	1178
937	904	857	824	777	744	697	664	617	584	537	504	457	424
665	696	745	776	825	856	905	936	985	1016	1065	1096	1145	1176
935	906	855	826	775	746	695	666	615	586	535	506	455	426
667	694	747	774	827	854	907	934	987	1014	1067	1094	1147	1174
933	908	853	828	773	748	693	668	613	588	533	508	453	428
669	692	749	772	829	852	909	932	989	1012	1069	1092	1149	1172
931	910	851	830	771	750	691	670	611	590	531	510	451	430
671	690	751	770	831	850	911	930	991	1010	1071	1090	1151	1170
929	912	849	832	769	752	689	672	609	592	529	512	449	432
673	688	753	768	833	848	913	928	993	1008	1073	1088	1153	1168
927	914	847	834	767	754	687	674	607	594	527	514	447	434
675	686	755	766	835	846	915	926	995	1006	1075	1086	1155	1166
925	916	845	836	765	756	685	676	605	596	525	516	445	436
677	684	757	764	837	844	917	924	997	1004	1077	1084	1157	1164
923	918	843	838	763	758	683	678	603	598	523	518	443	438
679	682	759	762	839	842	919	922	999	1002	1079	1082	1159	1162
921	920	841	840	761	760	681	680	601	600	521	520	441	440
650	711	730	791	810	871	890	951	970	1031	1050	1111	1130	1191
952	889	872	809	792	729	712	649	632	569	552	489	472	409
648	713	728	793	808	873	888	953	968	1033	1048	1113	1128	1193
954	887	874	807	794	727	714	647	634	567	554	487	474	407
646	715	726	795	806	875	886	955	966	1035	1046	1115	1126	1195
956	885	876	805	796	725	716	645	636	565	556	485	476	405
644	717	724	797	804	877	884	957	964	1037	1044	1117	1124	1197
958	883	878	803	798	723	718	643	638	563	558	483	478	403
642	719	722	799	802	879	882	959	962	1039	1042	1119	1122	1199
960	881	880	801	800	721	720	641	640	561	560	481	480	401

Figure 4c Order-40 Franklin matrix - right third